



Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product identifier
- Trade name: Omnident® Pastenhärter Labor
- Application of the substance / the mixture technical activator for C-silicones
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Omnident Dental-Handelsgesellschaft mbH

Gutenbergring 5 D - 63110 Rodgau

Phone: +49 (0) 6106 / 874 - 0 Fax: +49 (0) 6106 / 874 - 265

www.omnident.de info@omnident.de

- Further information obtainable from: info@omnident.de
- 1.4 Emergency telephone number: +49 (0) 6106 874 0 (Mo Fr 8:00 a.m. 5:00 p.m.)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B H360D May damage the unborn child.

STOT SE 2 H371 May cause damage to the immune system. Route of exposure: Oral.

STOT RE 2 H373 May cause damage to the blood and the immune system through prolonged

or repeated exposure. Route of exposure: Oral.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS07 GHS08

- Signal word Danger
- Hazard-determining components of labelling:

Dioctylzinnbisacetylacetonat (CAS 54068-28-9) dioctyltin dilaurate

Tetrakis(2-butoxyethoxy)silane (CAS 18765-38-3)

(Contd. on page 2)

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 1)

- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H360D May damage the unborn child.

H371 May cause damage to the immune system. Route of exposure: Oral.

H373 May cause damage to the blood and the immune system through prolonged or repeated exposure. Route of exposure: Oral.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information: Restricted to professional users
- 2.3 Other hazards

- Results of PBT and vPvB assessment

This substance/mixture does not contain components classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

- PBT: Not applicable.
- vPvB: Not applicable.

- Determination of endocrine-disrupting properties

Endocrine disrupting properties - human health: The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

Endocrine disrupting properties - Environment: The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
	Tetrakis(2-butoxyethoxy)silane (CAS 18765-38-3)	10-25%
	🕸 STOT RE 2, H373; 🕦 Skin Irrit. 2, H315	
	Dioctylzinnbisacetylacetonat (CAS 54068-28-9)	10-25%
	🕸 STOT SE 2, H371; 🕦 Skin Sens. 1, H317	
CAS: 3648-18-8	dioctyltin dilaurate	≥2.5-<10%
EINECS: 222-883-3	🕸 Repr. 1B, H360D; STOT RE 1, H372	
Index number: 050-031-00-9	·	
CAS: 78-10-4	tetraethyl silicate	1-2.5%
EINECS: 201-083-8	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H332; Eye Irrit.	
Index number: 014-005-00-0	2, H319; STOT SE 3, H335	
CAS: 111-76-2	2-butoxyethanol	0.1-1%
EINECS: 203-905-0	Acute Tox. 3, H311; Acute Tox. 4, H302; Acute	
Index number: 603-014-00-0		
	ATE: LD50 oral: 1,200 mg/kg	

(Contd. on page 3)

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 2)

- SVHC

3648-18-8 dioctyltin dilaurate

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about fire - and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

78-10-4 tetraethyl silicate

IOELV Long-term value: 44 mg/m³, 5 ppm

111-76-2 2-butoxyethanol

IOELV Short-term value: 246 mg/m³, 50 ppm

Long-term value: 98 mg/m³, 20 ppm

Skin

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection:

In case of intensive or longer exposure use self-contained respiratory protective device.

- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

- Eye/face protection

Tightly

Tightly sealed goggles

(Contd. of page 4)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- **Physical state** Fluid - **Colour:** Red

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

- Boiling point or initial boiling point and

boiling range Undetermined.
- Flammability Not applicable.

- Lower and upper explosion limit

- Lower: Not determined.
- Upper: Not determined.
- Flash point: >70 °C

- Ignition temperature:
 - Decomposition temperature:
 - pH
 Not determined.
 Not determined.
 Not determined.

- Viscosity:

- Kinematic viscosity- Dynamic:Not determined.Not determined.

- Solubility

- water: Not miscible or difficult to mix.

- Partition coefficient n-octanol/water (log

value) Not determined.
- Vapour pressure: Not determined.
- Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.

- 9.2 Other information

- Appearance:

- Form: Pasty

- Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

- Explosive properties: Product does not present an explosion hazard.

Solvent content:

- Organic solvents: <0.7 %
- VOC (EC) <0.67 %
- Solids content: 90.0 %

- Change in condition

- Evaporation rate Not determined.

- Information with regard to physical hazard

classes
- Explosives Void
- Flammable gases Void
- Aerosols Void
- Oxidising gases Void

(Contd. on page 6)

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 5)

- Gases under pressure	Void	
- Flammable liquids	Void	
- Flammable solids	Void	
- Self-reactive substances and mixtures	Void	
- Pyrophoric liquids	Void	
- Pyrophoric solids	Void	
- Self-heating substances and mixtures	Void	
- Substances and mixtures, which emit		
flammable gases in contact with water	Void	
- Oxidising liquids	Void	
- Oxidising solids	Void	
- Organic peroxides	Void	
- Corrosive to metals	Void	
- Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

Vaselin	-		
Oral	LD50	>5,000	mg/kg

Dermal LD50 >2,000 mg/kg (rabbit)

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity May damage the unborn child.
- STOT-single exposure May cause damage to the immune system. Route of exposure: Oral.
- STOT-repeated exposure

May cause damage to the blood and the immune system through prolonged or repeated exposure. Route of exposure: Oral.

- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

Endocrine disrupting properties - human health: The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

None of the ingredients is listed.

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 6)

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This substance/mixture does not contain components classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environment: The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion	
- 14.1 UN number or ID number - ADR, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.	
		(Contd. on page

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 7)

- UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012

3648-18-8 dioctyltin dilaurate

Annex I Part 1

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

3648-18-8 dioctyltin dilaurate

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H360D May damage the unborn child.
- H371 May cause damage to organs.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- Contact: info@omnident.de
- Date of previous version: 03.11.2021

(Contd. on page 9)

Printing date 09.01.2023 Version number 3 Revision: 09.01.2023

Trade name: Omnident® Pastenhärter Labor

(Contd. of page 8)

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 2: Specific target organ toxicity (single exposure) - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

- Sources

The data for the hazardous ingredients were taken respectively from the last version of Safety Data Sheets of suppliers.

- * Data compared to the previous version altered.