Revision: 19.10.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 3 (replaces version 2)

· 1.1 Product identifier

· Trade name: Omni Biozid

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

PRISMAN GmbH

Otto Hahn Ring 6-18

D-64653 Lorsch

Germany

Vertrieb durch:

OMNIDENT Dental-

Handelsgesellschaft mbH

Gutenbergring 5

D-63110 Rodgau

Tel.: +49 (0) 6106 874-0

· Further information obtainable from:

Produktmanagement

Tel.: +49 (0) 6106 874-0

info@omnident.de

· 1.4 Emergency telephone number:

Vergiftungsinformationszentrale (VIZ) der Gesundheit Österreich GmbH

Notruf 0-24 Uhr: +43 1 406 43 43

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 RTECS: NT 8050000 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	1-5%
CAS: 7173-51-5 EINECS: 230-525-2 Index number: 612-131-00-6 Reg.nr.: 01-2119457558-25-XXXX	didecyldimethylammonium chloride Skin Corr. 1B, H314 Aquatic Chronic 2, H411 Acute Tox. 4, H302	<0.3%
CAS: 68391-01-5 EINECS: 269-919-4	Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302	<0.3%
CAS: 85409-23-0	Quaternary Skin Corr. 1B, H314 Aquatic Acute 1, H400 Acute Tox. 4, H302	<0.3%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

No special measures required.

Take affected persons out of danger area and lay down.

Position and transport stably in side position.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Generally the product does not irritate the skin.

If skin irritation continues, consult a doctor.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

(Contd. on page 3)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

Keep people at a distance and stay on the windward side.

Remove persons from danger area.

Wear protective clothing.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection Not required.

(Contd. on page 4)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

- · For the permanent contact gloves made of the following materials are suitable: Neoprene gloves
- · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Butyl rubber, BR Natural rubber, NR

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour:
 Odour:
 Odour threshold:
 Melting point/freezing point:

Colourless
Pleasant
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not applicable
· Upper: Not applicable
· Flash point: > 100 °C

• **Decomposition temperature:** Not determined.

• pH at 20 °C 7.2

· Viscosity:

Kinematic viscosity
 Dynamic:
 Not determined.

Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

• Density at 20 °C: 1 g/cm^3

Relative densityVapour densityNot determined.Not determined.

9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

		(Contd. of page
Solvent content:		
Organic solvents:	0.5 %	
Water:	>97 %	
VOC (EC)	0 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cla	isses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ole gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	LD/LC50 values relevant for classification:				
7173-51	7173-51-5 didecyldimethylammonium chloride				
Oral	LD50	238 mg/kg (rat)			
Dermal	LD50	3,342 mg/kg (rat)			
	68424-85-1 quaternary ammonium compounds, benzylalkyl(C=12-16)dimethyl, chlorides				
Oral	LD50	344 mg/kg (rat)			
Dermal	LD50	3,340 mg/kg (rabbit)			

(Contd. on page 6)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

(Contd. of page 5)

85409-23-0 Quaternary

Oral LD50 500 mg/kg (ATE)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
7173-51-5	7173-51-5 didecyldimethylammonium chloride		
EC50	mg/kg (rat)		
EC50	0.062 mg/l (daphnia)		
LC50/96h	0.19 mg/l (fish)		
68424-85-	68424-85-1 quaternary ammonium compounds, benzylalkyl(C=12-16)dimethyl, chlorides		
EC50	7.75 mg/l (Bel)		
	0.016 mg/l (daphnia)		
LC50/96h	0.28 mg/l (fish)		

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Smaller quantities can be disposed of with household waste.

(Contd. on page 7)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	ion
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Recommended restriction of use Product only for professional use

(Contd. on page 8)

Printing date 21.11.2023 Version number 3 (replaces version 2) Revision: 19.10.2023

Trade name: Omni Biozid

(Contd. of page 7)

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

GB