Revision: 22.11.2023

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2023 Version number 4 (replaces version 3)

· 1.1 Product identifier

· Trade name: Omni Hand

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function Biocide
- · Application of the substance / the mixture Hand disinfactant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH

Otto Hahn Ring 6-18

D-64653 Lorsch

Germany

Vertrieb durch:

OMNIDENT Dental-

Handelsgesellschaft mbH

Gutenbergring 5

D-63110 Rodgau

Tel.: +49 (0) 6106 874-0

· Further information obtainable from:

Produktmanagement

Tel.: +49 (0) 6106 874-0

info@omnident.de

· 1.4 Emergency telephone number:

Vergiftungsinformationszentrale (VIZ) der Gesundheit Österreich GmbH

Notruf 0-24 Uhr: +43 1 406 43 43

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

IS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: propan-2-ol
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

*P280* Wear eye protection / face protection.

(Contd. on page 2)

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

(Contd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Contains biocidal products: propan-2-ol

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

٠	Dangerous	components:
---	-----------	-------------

CAS: 67-63-0

propan-2-ol

50-100%

EINECS: 200-661-7

Index number: 603-117-00-0 Eye Irrit. 2, H319; STOT SE 3, H336

RTECS: NT 8050000 Reg.nr.: 01-2119457558-25

· Additional information: For the wording of the listed hazard phrases refer to section 16.

🅸 Flam. Liq. 2, H225

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

A person vomiting while laying on their back should be turned onto their side.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

*In case of fire, the following can be released:* 

Carbon monoxide (CO)

(Contd. on page 3)

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

(Contd. of page 2)

5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

*Use respiratory protective device against the effects of fumes/dust/aerosol.* 

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Restrict the quantity stored at the work place.

Store in cool, dry place in tightly closed receptacles.

· Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.

Highly volatile, flammable constituents are released during processing.

Flammable gas-air mixtures may form in empty receptacles.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage.
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store in upright position.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

GB

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection Not required.
- · Material of gloves -
- · Penetration time of glove material -
- Eye/face protection



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid · Colour: Fluid

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 82 °C

· Flammability Highly flammable.

· Lower and upper explosion limit

· Lower: 2 Vol %
 · Upper: 12 Vol %
 · Flash point: 20 °C
 · Auto-ignition temperature: 425 °C

• **Decomposition temperature:** Not determined.

· **pH** Neutral

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

(Contd. on page 5)

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

	(Contd. of page 4)
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	43 hPa
Density and/or relative density	
Density at 20 °C:	$0.86  g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health a environment, and on safety.	and
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
zuprosire properties.	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	63 %
Water:	37 %
VOC (EC)	63 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. of page 5)

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

## LD/LC50 values relevant for classification:

### 67-63-0 propan-2-ol

Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50/4 h	>25 mg/l (rat)

- Serious eye damage/irritation Causes serious eye irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- Additional toxicological information:
- · Sensitisation Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

### 67-63-0 propan-2-ol

EC50 >100 mg/l (A) >100 mg/l (B) LC50/96h 9,640 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

(Contd. of page 6)

- · Uncleaned packaging:
- Recommendation: Non contaminated packagings may be treated like household garbage.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	UN1219
14.2 UN proper shipping name ADR IMDG, IATA	1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33 5- 5- 6- 5-
EMS Number:	F-E,S-D
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	IL Code, F2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

### SECTION 15: Regulatory information

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

GHS label elements

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 8)

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

(Contd. of page 7)

### · Hazard pictograms





GHS02

· **Signal word** Danger

· Hazard-determining components of labelling:

propan-2-ol

### · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

*P280* Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

*P312 Call a POISON CENTER/doctor if you feel unwell.* 

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Recommended restriction of use Product only for professional use

### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 9)

Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2023 Version number 4 (replaces version 3) Revision: 22.11.2023

Trade name: Omni Hand

(Contd. of page 8)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.