Printing date 21.11.2023

Version number 1

Revision: 17.04.2023

· 1.1 Product identifier

• Trade name: Omni T-Ölspray

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Lubricant
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Hersteller/Lieferant: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch - Germany

Vertrieb durch: OMNIDENT DentalHandelsgesellschaft mbH Gutenbergring 5 D-63110 Rodgau Tel.: +49 (0) 6106 874-0

 Further information obtainable from: Produktmanagement
 Fon: +49 (6106) 8 74 - 0
 1.4 Emergency telephone number:

Erreichbar werktags von: 8.00 - 16.30 Uhr Tel: +49 (6106) 874 -0 Fax: +49 (6106) 874 -265 info@omnident.de

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Aerosol 3 H229 Pressurised container: May burst if heated.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- H229 Pressurised container: May burst if heated.
- · Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

• Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

Keep out of the reach of children

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Printing date 21.11.2023

Version number 1

Revision: 17.04.2023

Trade name: Omni T-Ölspray

(Contd. of page					
· Dangerous components:					
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 RTECS: TX 2275000 Reg.nr.: 01-2119486944-21-xxxx	propane 🔅 Flam. Gas 1 Press. Gas (Con	, H220 pp.), H280	0%		
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 RTECS: EJ 4200000 Reg.nr.: 01-2119474691-32-xxxx	butane, pure 🔅 Flam. Gas 1 Press. Gas (Con	, H220 10-2. np.), H280	25%		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment Keep unprotected persons group

Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Open and handle receptacle with care.

(Contd. on page 3)

GB

Printing date 21.11.2023

*

Version number 1

Revision: 17.04.2023

Trade name: Omni T-Ölspray

(Contd. of page 2)
Information about fire - and explosion protection:
Do not spray onto a naked flame or any incandescent material.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric
lights. Do not pierce or burn, even after use.
· 7.2 Conditions for safe storage, including any incompatibilities
· Storage:
Requirements to be met by storerooms and receptacles:
Store in a cool location.
Observe official regulations on storing packagings with pressurised containers.
· Information about storage in one common storage facility: Not required.
Further information about storage conditions:
Keep container tightly sealed.
Do not seal receptacle gas tight.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
· 7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
· 8.1 Control parameters
· Ingredients with limit values that require monitoring at the workplace:
106-97-8 butane, pure
WEL Short-term value: 1810 mg/m ³ , 750 ppm
Long-term value: 1450 mg/m ³ , 600 ppm
Carc (if more than 0.1% of buta-1.3-diene)
• Additional information: The lists valid during the making were used as basis.
· 8.2 Exposure controls
· Appropriate engineering controls No further data; see section 7.
· Individual protection measures, such as personal protective equipment
General protective and hygienic measures: Wash hands before breaks and at the end of work.
• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
· Hand protection
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be
observed. As motocian from subschos clours made of the following materials are suitable:
• As protection from splashes gloves made of the following materials are suitable:
Butyl rubber, BR Nitrile rubber, NBR
Natural rubber, NBR
(Contd. on page 4)
(contait on page 1)

GB

Safety data sheet according to 1907/2006/EC, Article 31

*

inting date 21.11.2023	Version number 1	Revision: 17.04.20
ade name: Omni T-Ölspray		
		(Contd. of page
· Eye/face protection		
Tightly sealed goggles	S	
<u> </u>		
SECTION 9: Physical and	chemical properties	
9.1 Information on basic physics	al and chemical properties	
· General Information	4 1 1 .	· C
· Colour:	According to product spe	ecification
· Odour:	<i>Characteristic</i>	
• Melting point/freezing point:	Undetermined.	
• Boiling point or initial boiling p		
· Lower and upper explosion limit		
· Lower:	1.5 Vol %	
· Upper:	10.9 Vol %	
Flash point:	-97 °C	
• Auto-ignition temperature:	365 °C	
· Solubility		
· water:	Not miscible or difficult t	to mix.
· Vapour pressure at 20 °C:	8300 hPa	
• Density and/or relative density		
· Density at 20 °C:	$0.66 g/cm^3$	
• 9.2 Other information		
· Appearance:		
· Form:	Aerosol	
	Compressed liquefied ga	5
· Important information on pro		
environment, and on safety.	······································	
· Ignition temperature:	Product is not selfigniting	g.
• Explosive properties:		sive. However, formation
T T T	explosive air/vapour mix	
· Solvent content:	1 1	1
· Organic solvents:	60.0 %	
0	ical hazand classes	
Information with regard to physics Even loging		
· Explosives	Void Void	
· Flammable gases		
· Aerosols	Pressurised container: M	iay burst if heated.
• Oxidising gases	Void	
• Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mix		
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mix		
• Substances and mixtures, which		
• •.•	Void	
in contact with water		
in contact with water • Oxidising liquids • Oxidising solids	Void Void	

Printing date 21.11.2023

Version number 1

Revision: 17.04.2023

Trade name: Omni T-Ölspray

		(Contd. of page 4)
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes: Not hazardous for water.

(Contd. on page 6)

Printing date 21.11.2023

Version number 1

Revision: 17.04.2023

Trade name: Omni T-Ölspray

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

*

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name	~~~~~	
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class Label	2.1 Gases. 2.1	
	2.1	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
Hazard identification number (Kemler code):	-	
EMS Number:	F-D,S-U	
14.7 Maritime transport in bulk according to IM		
instruments	Not applicable.	
Transport/Additional information:		
ADR		
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	

Printing date 21.11.2023

Version number 1

Revision: 17.04.2023

Trade name: Omni T-Ölspray

· IMDG

- · Limited quantities (LQ)
- \cdot Excepted quantities (EQ)

1L Code: E0 Not permitted as Excepted Quantity

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008
- GHS label elements

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- H229 Pressurised container: May burst if heated.
- · Precautionary statements
- *P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
- *P251* Do not pierce or burn, even after use.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Recommended restriction of use

Produkt nur für den professionellen Gebrauch.

Die in diesem Sicherheitsdatenblatt enthaltenen Angaben basieren nach unserem besten Wissen und Gewissen auf aktuell verfügbaren Informationen über die korrekte Handhabung des Produktes unter normalen Bedingungen. Eine andere, in diesem Datenblatt nicht enthaltene Verwendung dieses Produktes zusammen mit anderen Prozessen/Verfahren obliegt der alleinigen Verantwortung des Anwenders. Dieses Dokument stellt keine explizite oder implizite Garantie bezüglich Produktqualität oder Eignung für einen bestimmten Zweck dar. • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerc IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1

Aerosol 3: Aerosols – Category 3

(Contd. on page 8)

(Contd. of page 6)

GB

Printing date 21.11.2023

Version number 1

Revision: 17.04.2023

Trade name: Omni T-Ölspray

Press. Gas (Comp.): Gases under pressure – Compressed gas • * Data compared to the previous version altered.

V_2011_9_1

(Contd. of page 7)

GB -