Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

· 1.1 Product identifier

• Trade name: Omni Saliva Nanosept

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- No juriner relevant information available.
- Application of the substance / the mixture Disinfectant
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Hersteller/Lieferant: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch - Germany

Vertrieb durch: OMNIDENT DentalHandelsgesellschaft mbH Gutenbergring 5 D-63110 Rodgau Tel.: +49 (0) 6106 874-0

Further information obtainable from: Produktmanagement Fon: +49 (6106) 8 74 - 0

• **1.4 Emergency telephone number:** Erreichbar werktags von: 8.00 - 16.30 Uhr Tel: +49 (6106) 874 -0 Fax: +49 (6106) 874 -265 info@omnident.de

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008Aerosol 1H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.Aquatic Chronic 3H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



• Signal word Danger

Hazard statements
H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

GB

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

	(Contd. of page 1)	
· Precautionary statements		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P273	Avoid release to the environment.	
P280	Wear eye protection / face protection.	
P305+P351+P33	88 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Additional inform	nation:	
Pressurized conta	iner: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or	
burn, even after u	ise.	
	naked flame or any incandescent material. Keep away from sources of ignition - No smoking.	

Keep out of the reach of children • 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64-17-5	ethanol	10-25%
EINECS: 200-578-6	🛞 Flam. Lig. 2, H225	
Index number: 603-002-00-5		
RTECS: KQ 6300000		
Reg.nr.: 01-2119457610-43-XXXX		
CAS: 74-98-6	propane	2.5-10%
EINECS: 200-827-9	🚯 Flam. Gas 1, H220	
Index number: 601-003-00-5	Press. Gas (Comp.), H280	
<i>RTECS: TX 2275000</i>		
<i>Reg.nr.:</i> 01-2119486944-21-xxxx		
CAS: 106-97-8	butane, pure	2.5-10%
EINECS: 203-448-7	🚸 Flam. Gas 1, H220	
Index number: 601-004-00-0	Press. Gas (Comp.), H280	
<i>RTECS: EJ 4200000</i>		
<i>Reg.nr.: 01-2119474691-32-xxxx</i>		
CAS: 2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	<i>≤</i> 2.5%
EINECS: 219-145-8	Acute Tox. 3, H301; Acute Tox. 3, H311	
Reg.nr.: 01-2119980592-29-xxxx	STOT RE 2, H373	
	Skin Corr. 1A, H314	
	Aquatic Chronic 1, H410	

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Open and handle receptacle with care.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location. Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

106-97-8 butane, pure

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR Butyl rubber, BR Natural rubber, NR • **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Colour:

According to product specification

(Contd. on page 5)

GB

(Contd. of page 3)

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

		(Contd. of pag
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling ra		
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	3.5 Vol % (Butan)	
Upper:	15.0 Vol % (Butan)	
Flash point:	Not applicable, as aerosol.	
Auto-ignition temperature:	425 °C	
Decomposition temperature:	Not determined.	
	10.5	
pH at 20 °C	10.5	
Viscosity:	Not much out to	
Kinematic viscosity	Not applicable	
Dynamic:	Not applicable	
Solubility		
water:	Fully miscible.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure at 20 °C:	59 hPa	
Density and/or relative density		
Density at 20 °C:	0.96 g/cm³ (Flüssigkeit)	
Relative density	Not determined.	
Vapour density	Not determined.	
0.2 Other information		
9.2 Other information Appearance:		
Form: Important information on protection of health	Aerosol and	
Form: Important information on protection of health environment, and on safety. Ignition temperature:	and Product is not selfigniting.	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties:	and	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content:	and Product is not selfigniting. Not determined.	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water:	and Product is not selfigniting. Not determined. >60 %	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water:	and Product is not selfigniting. Not determined.	
Form: Important information on protection of health environment, and on safety. Ignition temperature:	and Product is not selfigniting. Not determined. >60 %	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC)	and Product is not selfigniting. Not determined. >60 %	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable.	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable.	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable.	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol.	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated.	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	
Form: Important information on protection of health environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated. Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric solids Self-heating substances and mixtures	and Product is not selfigniting. Not determined. >60 % 30 % Not applicable. Void Void Void Void Void Void Void Void	

GB

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

		(Contd. of page 5)
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

		5 5
ATE (Acu	te Toxicity	Estimates)
Oral	LD50	10101 mg/kg
64-17-5 et	hanol	
Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
106-97-8 butane, pure		
Inhalative	LC50/4 h	658 mg/l (rat)
2372-82-9	N-(3-amin	nopropyl)-N-dodecylpropane-1,3-diamine
Oral	LD50	100 mg/kg (ATE)
· Skin corro	sion/irrita	tion
Causes ski	in irritation	4.
· Serious eye damage/irritation		
Causes ser	rious eye ir.	ritation.
· Respirator	y or skin s	ensitisation Based on available data, the classification criteria are not met.
· Germ cell	mutagenic	<i>ity</i> Based on available data, the classification criteria are not met.
· Carcinoge	nicity Base	ed on available data, the classification criteria are not met.
• Reproductive toxicity Based on available data, the classification criteria are not met.		
		re Based on available data, the classification criteria are not met.
		sure Based on available data, the classification criteria are not met.
• Aspiration hazard Based on available data, the classification criteria are not met.		
-		other hererds

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

GF

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

14.1 UN number or ID number ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS AEROSOLS, flammable	
ADR		
ADK Class	2 5F Gases.	

Printing date 21.11.2023

Version number 7 (replaces version 6)

Trade name: Omni Saliva Nanosept

	(Contd. of page
· IMDG, IATA	
· Class	2.1 Gases.
· Label	2.1
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Gases.
· Hazard identification number (Kemler code):	-
• EMS Number:	F- D , S - U
• 14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008 GHS label elements

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02	GHS07
· Signal wo	ord Danger
· Hazard st	tatements
H222 Ext	remely flammable aerosol.
H229 Pre	ssurised container: May burst if heated.
H315 Cai	uses skin irritation.
H319 Cai	ises serious eye irritation.
H412 Har	mful to aquatic life with long lasting effects.
· Precautio	nary statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P273	Avoid release to the environment.
P280	Wear eye protection / face protection.
P305+P3	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P3	<i>13 If skin irritation occurs: Get medical advice/attention.</i>
P337+P3	<i>13 If eye irritation persists: Get medical advice/attention.</i>
	(Contdon name 0)

(Contd. on page 9)

GB

Printing date 21.11.2023

Version number 7 (replaces version 6)

Revision: 21.11.2023

Trade name: Omni Saliva Nanosept

	(Contd. of page 8)
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}C/122 {}^{\circ}F$.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Directive 2012/18/EU

- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols – Category 1 : Aerosols - Category 3 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 *Eye Irrit. 2: Serious eye damage/eye irritation – Category 2* STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * * Data compared to the previous version altered.