Safety data sheet

	Safety data sneet according to 1907/2006/EC, Article 31	
Printing date 22.11.2023	Version number 8 (replaces version 7)	Revision: 22.11.2023
· 1.1 Product identifier		
No further relevant information	of the substance or mixture and uses advised against	
 1.3 Details of the supplier of Manufacturer/Supplier: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch Germany Vertrieb durch: OMNIDENT Dental- Handelsgesellschaft mbH Gutenbergring 5 D-63110 Rodgau Tel.: +49 (0) 6106 874-0 Further information obtain Produktmanagement Tel.: +49 (0) 6106 874-0 info@omnident.de 	able from:	
• 1.4 Emergency telephone n Vergiftungsinformationszent Notruf 0–24 Uhr : +43 1 40	trale (VIZ) der Gesundheit Österreich GmbH	
SECTION 2: Hazards	identification	
· 2.1 Classification of the sub	ostance or mixture	
	Regulation (EC) No 1272/2008 armful to aquatic life with long lasting effects.	
· 2.2 Label elements	· · · · · · · · · · · · · · · · · · ·	
Labelling according to Reg		
The product is classified and • Hazard pictograms Void	l labelled according to the GB CLP regulation.	
• Signal word Void		
· Hazard statements		
H412 Harmful to aquatic lif	e with long lasting effects.	
· Dragautionamy statements		

- · Precautionary statements
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

*

*

GB

Printing date 22.11.2023

Version number 8 (replaces version 7)

Revision: 22.11.2023

(Contd. of maga 1)

Trade name: Omnidrill Bohrerbad

	fatty alcohol polyglycol ethers	≤2.5%
	(1) Eye Irrit. 2, H319	
CAS: 2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	≤0.5%
EINECS: 219-145-8	Acute Tox. 3, H301; Acute Tox. 3, H311	
Reg.nr.: 01-2119980592-29-xxxx	🚯 STOT RE 2, H373	
	Skin Corr. 1A, H314	
	Aquatic Chronic 1, H410	
CAS: 7173-51-5	didecyldimethylammonium chloride	≤0.5%
EINECS: 230-525-2		
Index number: 612-131-00-6	Aquatic Chronic 2, H411	
Reg.nr.: 01-2119457558-25-XXXX	Acute Tox. 4, H302	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Take affected persons out of danger area and lay down. Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air.

• After inhalation:

Supply fresh air; consult doctor in case of complaints. Take affected persons into fresh air and keep quiet.

• After skin contact:

If skin irritation continues, consult a doctor.

Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

- Seek medical treatment.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product. Remove persons from danger area.

(Contd. on page 3)

GB

Printing date 22.11.2023

Version number 8 (replaces version 7)

Revision: 22.11.2023

Trade name: Omnidrill Bohrerbad

· 6.2 Environmental precautions:	(Contd. of page 2)
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Do not allow to enter sewers/ surface or ground water.	
6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
· 6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep receptacles tightly sealed.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store in upright position.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:
- Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

· For the permanent contact gloves made of the following materials are suitable: Neoprene gloves

(Contd. on page 4)

Printing date 22.11.2023

*

Version number 8 (replaces version 7)

Revision: 22.11.2023

(Contd. of page 3)

GB

Trade name: Omnidrill Bohrerbad

As protection from splashes gloves made of the following materials are suitable:
Natural rubber, NR
Butyl rubber, BR
Fluorocarbon rubber (Viton)
• Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

General Information	
Physical state	Fluid
Colour:	According to product specification
Odour:	Amine-like
Odour threshold:	Not determined.
Melting point/freezing point:	$0 \ ^{\circ}C$
Boiling point or initial boiling point and boiling range	ge 100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	>100 °C
Decomposition temperature:	Not determined.
<i>pH at 20 °C</i>	9.8
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.01 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	***
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0 %
Water:	>95 %
VOC (EC)	0%
Change in condition	· · · ·
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	17 • 1
Explosives	Void
Flammable gases	Void
Aerosols	Void

Printing date 22.11.2023

Version number 8 (replaces version 7)

Revision: 22.11.2023

Trade name: Omnidrill Bohrerbad

		(Contd. of page
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 37,037 mg/kg

2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Oral LD50 100 mg/kg (ATE)

7173-51-5 didecyldimethylammonium chloride

Oral LD50 238 mg/kg (rat)

Dermal LD50 3,342 mg/kg (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity* Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 22.11.2023

Version number 8 (replaces version 7)

Revision: 22.11.2023

Trade name: Omnidrill Bohrerbad

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

EC50 0.01-0.1 mg/l (A)

18 mg/l (Bel)

0.073 mg/l (daphnia)

LC50/96h 0.68 mg/l (fish)

7173-51-5 didecyldimethylammonium chloride

EC50 mg/kg (rat)

EC50 0.062 mg/l (daphnia)

LC50/96h 0.19 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)

- GB

Printing date 22.11.2023

Version number 8 (replaces version 7)

Trade name: Omnidrill Bohrerbad

	(Contd. of page 6)
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
• 14.7 Maritime transport in bulk according to IMC instruments	Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008
- GHS label elements
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- · Recommended restriction of use Product only for professional use
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation

(Contd. on page 8)

GB

Printing date 22.11.2023

Version number 8 (replaces version 7)

Revision: 22.11.2023

Trade name: Omnidrill Bohrerbad

(Contd. of page 7)	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
• * Data compared to the previous version altered.	
GB	<u>، _</u>